

**KEBOB**  
System TECHNOLOGY

- Up to 2000 Kebobs/hour capacity.
- 2 minute cycle for skewering and cutting.
- Versatile, can produce a variety of Kebob sizes.
- Simple change over to different Kebob sizes.
- Accommodates various lengths of wooden skewers.
- Ideal size for limited production space.
- Simple and quick start-up.
- Hydraulic and electric-powered: 220-440 V; 2 KW.
- LCD, shows function status.
- Operator safety shields.
- Easy access for cleaning and maintenance.
- Portion control production.
- Minimal ends and pieces waste.
- Comes with stainless steel baskets and demolder.
- Total system available: marination, meat preparation, material handling.
- USDA construction.
- All machines have international patents.




2216 Ford Avenue, Springdale, AR 72764  
(501) 751-9392 • Fax (501) 751-9399


**PALGA, Inc.**

215 Park Avenue South, Suite 1801, New York, NY 10003  
(212) 477-4105 • Fax (212) 477-6475

# Meet the COMBI Compact Kebob Machine



The COMBI is the ideal entry-level Kebab machine. The COMBI's versatility allows processing of various layers of boneless meat, poultry and fish, as well as a variety of vegetables and fruits. Options such as tumblers, conveyors and the CPA skewer loader can be easily added for increased productivity and profit.



COMBI Machine Dimensions

A	B	C
33.46 in. (850mm)	64.56 in. (1640mm)	29.52 in. (.750m)

7.5 L Basket Model	Skewer Length		Ingredient Length		Dimensions of 1 Kebob In./mm	Max. Wt. of 1 Kebob lbs./gm
	Min.	Max.	Min.	Max		
49	5.90 in. (150mm)	9.80 in. (250mm)	3.90 in. (100mm)	7.30 in. (185mm)	1.10x1.10 in. (27x27mm)	5.3 oz. (150gm)
64	5.90 in. (150mm)	9.80 in. (250mm)	3.90 in. (100mm)	7.30 in. (185mm)	.90x.90 in. (24x24mm)	4.2 oz. (120gm)
81	5.90 in. (150mm)	9.80 in. (250mm)	3.90 in. (100mm)	7.30 in. (185mm)	.80x.80 in. (21x21mm)	3 oz. (84gm)



2216 Ford Avenue, Springdale, AR 72764  
(501) 751-9392 • Fax (501) 751-9399



215 Park Avenue South, Suite 1801, New York, NY 10003  
(212) 477-4105 • Fax (212) 477-6475